

Test Report No. F690101/LF-CTSAYHA19-12440 Issued Date: 2019. 10. 31 Page 1 of 2

SALAMANDER JEWELRY CO., LTD.

128/1 Moo 7, Soi wat Nakhon, Chuenchum Phutthamonthon sai 4 road, Tambon kratumlom ampur sampran Nakhon pathom 73220, Thailand

The following sample(s) was/were submitted and identified by/on behalf of the client as:-

SGS File No. : AYHA19-12440

Sample Description : Bioflex

Style no./Item no. : Order No. : Buyer : Manufacturer : Country of Origin : -

Country of Destination

Received Date : 2019, 10, 22

Test Period : 2019. 10. 22 to 2019. 10. 31

Test Method : For further details, please refer to following page (s)

Test Results : For further details, please refer to following page (s)

Report Comments : The results shown in this test report refer only to the sample(s) tested unless

otherwise stated.

This test report is not related to Korea Laboratory Accreditation Scheme.

Result Summary :

Test Requested	Conclusion
Lead content (Commission Regulation (EU) No 2015/628 amending Annex XVII of REACH Regulation (EC) No 1907/2006)	PASS

SGS Korea Co., Ltd.

Tommy Oh / Chemical Lab Mgr

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

CQP-7081-F01 (01)

322, The O valley, 76, LS-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea 14117 t +82 (0)31 4608 000 f +82 (0)31 4608 059 http://www.sqsgroup.kr



Test Report No. F690101/LF-CTSAYHA19-12440 Issued Date : 2019. 10. 31

Page 2 of 2

Results:

Total Lead Content

Test Method: With reference to EPA 3052. Analysis was performed by ICP-OES.


Test Items	Unit	Detection Limit	Result(s)	Recommended Max. Limit
Lead (Pb)	mg/kg	5	N. D.	500
Conclusion	-	-	PASS	-

Sample description:

1. Bioflex

Note: 1. N. D. = Not Detected (lower than Detection Limit)

- 2. mg/kg = ppm
- 3. Recommended Max. Limit specified by Commission Regulation (EU) No 2015/628 amending Annex XVII of REACH Regulation (EC) No 1907/2006 effective after 1 June 2016.



*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-conditions/terms-