128/1 Moo.7, Soi Wat Nakhon Chuenchum,

Tambon Kratumlom, Ampur Sampran, Nakhon Pathom 73220

Tel: +66-(0)-2814-4455 Fax: +66-(0)-2814-3300 Website: <u>www.body-piercing.com</u>

SAFETY DATA SHEET

Gold PVD Surgical Steel Body Jewelry

1 IDENTIFICATION OF MATERIAL

Product Name Gold PVD Surgical Steel Body Jewelry

Product Use Body Piercing

Manufacturer Salamander Jewelry Company Limited

Address 128/1 Moo 7, Soi Wat Nakhon Chuenchum Phuttamonthon Sai 4 Rd.

Tambon Kratumlom, Ampur Sampran, Nakhon Pathom 73220, Thailand.

Phone Number (66)-2814-4455

2 IDENTIFICATION OF HAZARDS

EU Main Hazards Not classified as hazardous.

Carcinogenicity Not considered carcinogenic by IARC, NTP, and OSHA.

Health Effects – Skin Sharp edges on solid products may cause cuts or lacerations.

May cause irritation in case of sensitive skin.

Specific Health Effects

Chromium: The toxicity of Chromium is dependent on its oxidation state. Chromium metal is relatively non-toxic. If metal is heated to high temperatures, as in welding, fumes produced may be toxic to the lungs.

Under high temperatures, hexavalent chromium may be produced. If in insoluble form, it is designated a confirmed human carcinogen. Other health effects include nasal irritation and possible kidney and liver damage. Chromite dust may also cause skin ulceration, dermatitis and allergic skin reactions.

Copper: May irritate the upper respiratory tract. May be characterized by a metallic or sweet taste. May also cause metal fume fever.

Iron Oxide: Repeated inhalation of iron oxide fume or dust causes benign pneumoconiosis (Siderosis), but generally does not cause symptoms in the exposed person.

Manganese: Acute effects include skin and eye irritation and metal fume fever. Chronic exposure may lead to central nervous system symptoms such as headache, changes in motor activity and psychological disturbances.













128/1 Moo.7, Soi Wat Nakhon Chuenchum,

Tambon Kratumlom, Ampur Sampran, Nakhon Pathom 73220

Tel: +66-(0)-2814-4455 Fax: +66-(0)-2814-3300 Website: <u>www.body-piercing.com</u>

Specific Health Effects (continued)

SALAMANDER

Molybdenum: Insoluble compounds of Molybdenum have a low order of toxicity. Molybdenum trioxide is an irritant to the eyes and mucous membranes.

Nickel: Known to cause contact dermatitis and a respiratory irritant. Nickel refining and specific compounds are considered respiratory carcinogens to humans. The International Agency for Research on Cancer lists elemental nickel as a possible 2B carcinogenic to humans. The National Toxicological Program (NTP) lists Nickel as reasonably anticipated to be carcinogenic from studies in experimental animals. The American Conference of Governmental Industrial Hygienists recommends that nickel compounds be differentiated according to solubility for their carcinogenic effects.

Titanium: There is a detectable amount of titanium in the human body and it has been estimated that we take in about 0.8 mg/day, but most passes through us without being adsorbed. It is not a poison metal and the human body can tolerate titanium in large dose. Elemental titanium and titanium dioxide is of a low order of toxicity. Excessive exposure in humans may result in slight changes in the lungs.

Nitride: Titanium compounds including titanium nitride are considered to be physiologically inert. Titanium nitride has been listed by the International Agency for Research on Cancer (IARC) within Group 3 (The agent is not classifiable as to its carcinogenicity to humans).

Gold: The International Agency for Research on Cancer (IARC) has listed gold within Group 3 (The agent is not classifiable as to its carcinogenicity to humans.)

3 COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS#	Concentration	Classification	R Phrases	
Material					
Iron	7439-89-6	> 45 %	None	None	
Chromium	7440-47-3	16 - 26 %	None	None	
Copper	7440-50-8	0 - 0.5 %	None	None	
Manganese	7439-96-5	0.5 - 1 %	None	None	
Molybdenum	7439-98-7	2 - 3 %	None	None	
Nickel	7440-02-0	10 - 14 %	T	R40, R43, R48/23	
Top Coating					
Gold	7440-57-5	> 99.5 %	None	None	













128/1 Moo.7, Soi Wat Nakhon Chuenchum,

Tambon Kratumlom, Ampur Sampran, Nakhon Pathom 73220

Tel: +66-(0)-2814-4455 Fax: +66-(0)-2814-3300 Website: <u>www.body-piercing.com</u>

4	FIR ST-	ATT	N (T A	CIDEC
4	HIK VI-	Δ III	$N/I + \Delta$	VIIK H V

SALAMANDER

First Aid – Skin Seek medical attention

5 FIRE-FIGHTING MEASURES: NO SPECIFIC REQUIREMENTS

6 ACCIDENTAL RELEASE MEASURES

This product does not pose a hazard to the environment in the as-shipped form

7 HANDLING AND STORAGE

Keep away from acids and oxidizers.

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid
Odor None

Color Yellow Metallic

Melting Point (°F) 2400-2800 (Material)

Specific Gravity No data available

Flash Point (°F) Not flammable

Solubility in Water Insoluble

10 STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Materials to Avoid Strong acids

11 TOXICOLOGY INFORMATION: SEE SECTION 2 (IDENTIFICATION OF HAZARDS)

12 ECOLOGICAL INFORMATION: NO SPECIFIC REQUIREMENTS

13 DISPOSAL CONSIDERATIONS

Recycling of all metallic by-products as scrap is strongly encouraged. If by-products need to be treated and/or disposed of as wastes, hazardous waste characterizations must be performed prior to treating and/or disposing. Contact appropriate parties to ensure compliance with all federal, state and local rules and regulations related to waste treatment and disposal.



128/1 Moo.7, Soi Wat Nakhon Chuenchum,

Tambon Kratumlom, Ampur Sampran, Nakhon Pathom 73220

Tel: +66-(0)-2814-4455 Fax: +66-(0)-2814-3300 Website: <u>www.body-piercing.com</u>

14 TRANSPORT INFORMATION: NO SPECIFIC REQUIREMENTS

15 REGULATORY INFORMATION

SALAMANDER

R40: Limited evidence of a carcinogenic effect.

R43: May cause sensitization by skin contact.

R48/23: Toxic: Danger of serious damage to health by prolonged exposure through inhalation.

16 OTHER INFORMATION

This information is correct to the best of our knowledge and belief at the date of publication

However no guarantee is made to its accuracy.

Version Date: June 2, 2016













